# 222K132-25/225-0 ACTIVE



#### **RAYCHEM**

TE Internal #: 131250-000

Right Angle Heat Shrink Boot, 222 Shape Code, Lipped, 25


Material Code, 25 Material Systems Code, Adhesive Precoat, -75 –

150 °C [-103 – 302 °F]

View on TE.com >



Wire Protection & Management > Heat Shrink Shapes > Heat Shrink Boots > Bulbous Heat Shrink Boots: Lipped, Right Angle



Body Orientation: Right Angle Molded Part Shape Code: 222

Lipped: Yes

Material Code: 25

Material Systems Code: **25** 

All Bulbous Heat Shrink Boots: Lipped, Right Angle (180)

#### **Features**

#### **Configuration Features**

Lipped	Yes
Adhesive Requirement	Adhesive Precoat
Body Features	

Primary Product Material	Fluid Resistant Modified Elastomer
Material Code	25
Material Systems Code	25

#### **Housing Features**

Body Orientation	Right Angle	

#### **Dimensions**

Compatible Cable Diameter (Max)	7 mm, 8 mm, 9 mm, 10 mm, 11 mm, 12 mm [.27 in][.314 in][.35 in][.39 in][.43 in][.47 in]
Compatible Cable Diameter Range	5.9 – 14 mm[5.9 – 15 in]

#### **Usage Conditions**

Operating Temperature Range	-75 - 150 °C[-103 - 302 °F]
Resistance Protection	Long-Term Fluid Exposure at High
	Temperatures

## **Industry Standards**



Compatible With Approved Standards Products	BS-G-198-5-DE, DEF Std 59-97 Issue 3 Type DE, IEC 62329-3-102, MIS-34867, VG95343 Part 18
Other	
Molded Part Shape Code	222
Adhesive Code	225

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>


EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability


#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## Compatible Parts







# Customers Also Bought







TE Part #CAT-R21-73106549 Bulbous Heat Shrink Boots: Lipped, Right Angle







## **Documents**

Product Drawings 222K132-25/225-0

English

Datasheets & Catalog Pages

1654025\_Sec4\_-25

English

Raychem Molded Parts Visual Guide

English

Solutions for Defense Applications Certified to VG Standards

English

**Product Specifications** 

**Product Specification** 

English